GasAlert Quattro

Order Sheet

With the GasAlertQuattro's easy to identify bump test and calibration icons, power options to outlast your shift, one-button simplicity and IntelliFlash that provides continuous visual confirmation of detector operation and compliance, seeing is believing.



Choose a yellow or black **GasAlertQuattro** multi-gas detector in any sensor combination, with a rechargeable battery pack or an alkaline pack with three AA batteries, for your specific region. A variety of accessories and spares are available to compliment your detector and suit your application, such as confined space kits, carrying accessories, power options, docking station systems and sampling/testing equipment.

Standard Package Contents

- GasAlertQuattro
- Rechargeable battery pack or alkaline pack with three AA batteries
- Charger wall plug (with rechargeable battery option)
- Calibration cap and tubing
- Reversible screwdriver
- Manual, materials booklet and technical reference guide

Deluxe Confined Space Kit includes

- Manual aspirator kit
- IR connectivity kit
- Calibration cap with 1 ft. / 0.3 m hose
- 0.5 LPM regulator
- Sampling probe
- Carrying holster
- Auxiliary filter





GasAlertQuattro 4-Gas Detector	Alkaline Version*	Rechargeable Version*
%LEL, O ₂ , H ₂ S, CO	QT-XWHM-A-Y-NA	QT-XWHM-R-Y-NA

GasAlertQuattro 3-Gas Detector	Alkaline Version*	Rechargeable Version*
%LEL, O ₂ , H ₂ S	QT-XWH0-A-Y-NA	QT-XWH0-R-Y-NA
%LEL, O ₂ , CO	QT-XW0M-A-Y-NA	QT-XW0M-R-Y-NA
O ₂ , H ₂ S, CO	QT-X0HM-A-Y-NA	QT-X0HM-R-Y-NA
%LEL, H ₂ S, CO	QT-0WHM-A-Y-NA	QT-0WHM-R-Y-NA

GasAlertQuattro 2-Gas Detector	Alkaline Version*	Rechargeable Version*
%LEL, O ₂	QT-XW00-A-Y-NA	QT-XW00-R-Y-NA
H ₂ S, CO	QT-00HM-A-Y-NA	QT-00HM-R-Y-NA
O ₂ , H ₂ S	QT-X0H0-A-Y-NA	QT-X0H0-R-Y-NA
O ₂ , CO	QT-X00M-A-Y-NA	QT-X00M-R-Y-NA
%LEL, H ₂ S	QT-0WH0-A-Y-NA	QT-0WH0-R-Y-NA
%LEL, CO	QT-0W0M-A-Y-NA	QT-0W0M-R-Y-NA

GasAlertQuattro 1-Gas Detector	Alkaline Version*	Rechargeable Version*
O ₂	QT-X000-A-Y-NA	QT-X000-R-Y-NA
%LEL	QT-0W00-A-Y-NA	QT-0W00-R-Y-NA
H ₂ S	QT-00H0-A-Y-NA	QT-00H0-R-Y-NA
CO	QT-000M-A-Y-NA	QT-000M-R-Y-NA

^{*}Black housing available with all GasAlertQuattro configurations. To order a unit with black housing replace "-Y-" with "-B-".

GasAlertQuattro Region Codes			
For ord	ers outside North America, change order number suff	fix "-NA" to	D:
"-EU"	Europe	"-CN"	China/New Zealand
"-UK"	United Kingdom	"-OR"	Other region with 3-pin UK plug
"-AU"	Australia	"-OE"	Other region with 2-pin UK plug

Note: For a complete list of GasAlertQuattro configurations please consult customer service.

Gas Legend		
%LEL	Combustible	
O_2	Oxygen	
H_2S	Hydrogen sulfide	
CO	Carbon monoxide	

Confined Space Kits	Order Number
GasAlertQuattro deluxe confined space kit Detector and calibration gas sold separately	QT-CK-DL
Carrying case for GasAlertQuattro with foam insert	QT-CK-CC

Carrying Accessories	Order Number
Concussion-proof boot	GA-BQT
Carrying holster	GA-HQT
Auxiliary filter (LCD protector) - includes five filters	QT-AF-K1
Replacement auxiliary filter for use with QT-AF-K1 (kit of 10)	QT-SS-AF-K1
Vehicle attachment (compatible with single T-pattern or 4-hole AMPS mounting system)	QT-VMB-1
Replacement alligator-style clip (stainless steel with screw)	XT-AG-1
Neck strap with safety release	GA-NS-1
Short strap (6 in. / 15.2 cm)	GA-LY-1
Extension strap (4 ft. / 1.2 m)	GA-ES-1
Armband	GA-ARM-1
Chest harness	GA-CH-2
Carrying case for motorized sampling pump and/or detector	SPAK-CC1

Power Options and Spares	Order Number
Rechargeable battery pack - yellow	QT-BAT-R01
Rechargeable battery pack - black	QT-BAT-R01B
Alkaline battery pack with batteries- yellow	QT-BAT-A01
Alkaline battery pack with batteries - black	QT-BAT-A01B
Multi-unit (five) cradle charger	QT-C01-MC5
Multi-unit power adaptor	GA-PA-1-MC5
12-24 Vpc vehicle power adaptor	GA-VPA-1
12-24 Vpc direct-wire power adaptor	GA-PA-3
Replacement power adaptor	GA-PA-1-NA*

^{*}For regions outside North America add to the end of the order number: "-EU" for Europe, "-UK" for United Kingdom and "-AU" for Australia/China.

Datalogging Accessories	Order Number
IR connectivity kit with Fleet Manager II software	GA-USB1-IR



Sampling/Testing Equipment and Spares	Order Number
MicroDock II automatic test and calibration system— - Base station and GasAlertQuattro docking module with charging cable - Base station and GasAlertQuattro docking module without charging cable - GasAlertQuattro docking module with charging cable - GasAlertQuattro docking module without charging cable	DOCK2-2-1C1N-00-N* DOCK2-2-1N-00-N* DOCK2-0-1C1N-00-N* DOCK2-0-1N-00-N*
SamplerPak motorized sampling pump kit with alkaline batteries	GA-SPAK
Manual aspirator pump	QT-AS01
Replacement test cap and hose	QT-TC-1
Sample probe with hydrophobic and particulate filters	GA-PROB1-1
Filter and gasket replacements for sample probe (GA-PROB1-1)	GA-PROB-FIL-K1
Metallic sintered particulate filter	GA-MFILTER
Sampling float	GA-FLOAT

^{*}Change order number suffix "-N" to: "-E" for European versions, "-U" for United Kingdom versions, "-A" for Australian versions.

Sensor Spares and Replacements	Order Number
Quad sensor screens (kit of two)	QT-SS
Quad sensor screens (kit of 10)	QT-SS-K1
Replacement combustible sensor	SR-W04-75C
Replacement oxygen sensor	SR-X10-C1
Replacement hydrogen sulfide sensor	SR-H04-SC
Replacement carbon monoxide sensor	SR-M04-SC
Dummy sensor for the oxygen, hydrogen sulfide and carbon monoxide locations	SR-DUMM1
Dummy sensor for the combustible location	SR-DUMM2
Replacement screw kit (40 screws)	QT-SCREW-K1



Due to ongoing research and product improvement, specifications are subject to change without notice.

info@gasmonitors.com