

Airtec Kits for Grade D Compressed Breathing Air

Nextteq Airtec Kits, featuring Gastec Airtec tubes, provide a simple method for detecting contaminants in compressed gas and supplied air. With no batteries or electric power required, the portable kits are intrinsically safe and can be used anytime, anywhere.

Airtec detector tubes are designed to meet the monitoring requirements for maintaining Grade D breathing air set by the Compressed Gas Association in Standard G-7.1.

Standard Airtec Regulator Kit PN STD-300

Contains: Airtec Regulator Assembly, Manual, and Tube Holder.

Deluxe Airtec Regulator Kit PN STD-301

Contains: Airtec Regulator Assembly, Manual, Tube Holder, Pelican® Carrying Case, and the following 5 types of Tubes: 1A, 2AG, 6A, 6AG, and 109AD.



Easy to Use.
Always Ready.
No Sensor Calibration.

Detect the 5 Most Common Contaminants				
Gas or Vapor to be Measured	Tube No.	Gastec Tube Name	Measuring Range	CGA Standard
Carbon Dioxide	2AG	Carbon Dioxide	200-3000 ppm	1000 ppm max.
Carbon Monoxide	1A	Carbon Monoxide	5-50 ppm	10 ppm max.
Nitrogen Oxides	11A	Nitrogen Oxides	0.02-2 ppm	
Oil Mist	109AD	Oil Mist	0.2-5.0 mg/m ³	5mg/m³
Water Vapor	6A 6AG	Water Vapor	30-80 mg/m ³ 150-3000 mg/m ³	varies with use requirements

For more information: NEXTTEQ LLC

8406 Benjamin Road, Suite J Tampa, Florida 33634 USA Tel: 813-249-5888 Toll Free Tel: 877-312-2333 Fax: 813-249-0188 Toll Free Fax: 877-312-2444

Email: info@nextteq.com Web: www.nextteq.com



Scan to access Gastec Airtec Tubes instruction sheets and handbook pages.